


# PageSpeed Insights

## Mobile



80 / 100 Speed

Should Fix:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://m.web.tr/> (expiration not specified)
- <http://m.web.tr/assets/77e668ae/jquery.min.js> (expiration not specified)
- <http://m.web.tr/css/d-adm-krmz.1.png> (expiration not specified)
- <http://m.web.tr/css/frontend.css> (expiration not specified)
- <http://m.web.tr/images/bg.png> (expiration not specified)
- <http://m.web.tr/js/ZeroClipboard.js> (expiration not specified)

## Mobile

- <http://lm.web.tr/js/cookieconsent.latest.min.js> (expiration not specified)
- <http://lm.web.tr/js/share42.js> (expiration not specified)
- [http://connect.facebook.net/en\\_US/all.js](http://connect.facebook.net/en_US/all.js) (20 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- [https://apis.google.com/js/rpc:shindig\\_random.js?onload=init](https://apis.google.com/js/rpc:shindig_random.js?onload=init) (30 minutes)
- <https://platform.twitter.com/widgets.js> (30 minutes)
- [http://pagead2.googlesyndication.com/pagead/show\\_ads.js](http://pagead2.googlesyndication.com/pagead/show_ads.js) (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)



### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 47.4KiB (66% reduction).

- Compressing [http://staticxx.facebook.com/connect/xd\\_arbiter.php?version=42](http://staticxx.facebook.com/connect/xd_arbiter.php?version=42) could save 23.7KiB (66% reduction).
- Compressing [https://staticxx.facebook.com/connect/xd\\_arbiter.php?version=42](https://staticxx.facebook.com/connect/xd_arbiter.php?version=42) could save 23.7KiB (66% reduction).

#### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (39% reduction).

## Mobile

- Minifying <http://lm.web.tr/js/ZeroClipboard.js> could save 1.2KiB (39% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://lm.web.tr/assets/77e668ae/jquery.min.js>
- <http://lm.web.tr/js/frontend.js?v=0.1>
- <http://lm.web.tr/js/ZeroClipboard.js>
- <http://lm.web.tr/js/share42.js>

### [Optimize CSS Delivery](#) of the following:

- <http://lm.web.tr/css/frontend.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

### [Optimize the following images](#) to reduce their size by 851B (18% reduction).

- Losslessly compressing [https://lh3.googleusercontent.com/EkYIWGAH2CY6BcXFZu969k\\_EcVHDGAdKwSR4xHEm8L-BEhGcQhTxaneqT5DJhsZQaHPY78mJlKA\\_=\\_s88-c](https://lh3.googleusercontent.com/EkYIWGAH2CY6BcXFZu969k_EcVHDGAdKwSR4xHEm8L-BEhGcQhTxaneqT5DJhsZQaHPY78mJlKA_=_s88-c) could save 851B (18% reduction).



## 5 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

70 / 100

## User Experience



### Should Fix:

### Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport

## Mobile

to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="#null" class="cc_btn cc_btn_accept_all">OK</a>` is close to 1 other tap targets final.
- The tap target `<a href="http://www.goo...vacy/partners/" class="cc_more_info">Learn more</a>` is close to 1 other tap targets final.
- The tap target `<button id="create" class="input button round-right">Short</button>` is close to 1 other tap targets final.
- The tap target `<span class="rhtitle rhdefaultcolored">Fiverr</span>` is close to 1 other tap targets final.
- The tap target `<span class="rhprice rhdefaultcolored">ÜCRETSİZ</span>` is close to 2 other tap targets final.
- The tap target `<div class="rhstoreicon"></div>` is close to 1 other tap targets final.
- The tap target `<div id="abgc" class="abgc">GoogleReklamları</div>` is close to 1 other tap targets final.
- The tap target `<a href="http://lm.web.tr/l">http://lm.web.tr/l</a>` and 19 others are close to other tap targets final.
- The tap target `<a href="/aclk?sa=l&ai=...m_medium%3Dcpc" class="rhurl rhdefaultcolored">intellectsoft.net</a>` is close to 1 other tap targets final.
- The tap target `<div id="abgc" class="abgc">GoogleReklamları</div>` is close to 2 other tap targets final.
- The tap target `<div class="pluginButton p...onDisconnected">Like</div>` is close to 2 other tap targets final.
- The tap target `<button type="submit"></button>` is close to 1 other tap targets final.
- The tap target `<div id="plusone" class="Jg">0</div>` and 1 others are close to other tap

## Mobile

targets final.

- The tap target `<a id="b" href="https://twitter.com/2Flm.web.tr%2F" class="btn">Tweet</a>` is close to 1 other tap targets final.

## Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- OK renders only 7 pixels tall (17 CSS pixels) final.
- This website u...n our website. renders only 7 pixels tall (17 CSS pixels) final.
- Learn more renders only 7 pixels tall (17 CSS pixels) final.
- URL Shortener...our long URLs! renders only 6 pixels tall (16 CSS pixels) final.
- Short renders only 7 pixels tall (18 CSS pixels) final.
- Total URLs: and 2 others render only 5 pixels tall (12 CSS pixels) final.
- Short URL and 10 others render only 5 pixels tall (12 CSS pixels) final.
- `http://lm.web.tr/l` and 19 others render only 5 pixels tall (12 CSS pixels) final.
- `https://news-b...lor-swift-s...` and 59 others render only 5 pixels tall (12 CSS pixels) final.
- `intellectsoft.net` renders only 6 pixels tall (15 CSS pixels) final.
- 235 renders only 5 pixels tall (13 CSS pixels) final.
- Like renders only 4 pixels tall (11 CSS pixels) final.
- 0 renders only 6 pixels tall (15 CSS pixels) final.
- Tweet renders only 4 pixels tall (11 CSS pixels) final.
- All rights reserved 2016 renders only 6 pixels tall (16 CSS pixels) final.

# Mobile

## Consider Fixing:

### Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,050 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<a href="http://lm.web.tr">Link Machine Short Url</a>` falls outside the viewport.
- The element `<p class="pressed title">URL Shortener...our long URLs!</p>` falls outside the viewport.
- The element `<div>Short</div>` falls outside the viewport.
- The element `<div class="bottom-ad"></div>` falls outside the viewport.
- The element `<h1 class="pressed">Recent added URLs</h1>` falls outside the viewport.
- The element `<h1 class="pressed">Most popular URLs</h1>` falls outside the viewport.
- The element `<center></center>` falls outside the viewport.

## 2 Passed Rules

### Avoid app install interstitials that hide content

Your page does not appear to have any app install interstitials that hide a significant amount of content. Learn more about the importance of [avoiding the use of app install interstitials](#).

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

## Mobile

## Desktop



86 / 100 Speed

! Consider Fixing:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 47.4KiB (66% reduction).

- Compressing [http://staticxx.facebook.com/connect/xd\\_arbiter.php?version=42](http://staticxx.facebook.com/connect/xd_arbiter.php?version=42) could save 23.7KiB (66% reduction).
- Compressing [https://staticxx.facebook.com/connect/xd\\_arbiter.php?version=42](https://staticxx.facebook.com/connect/xd_arbiter.php?version=42) could save 23.7KiB (66% reduction).

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.



## [Desktop](#)

[Leverage browser caching](#) for the following cacheable resources:

- <http://lm.web.tr/> (expiration not specified)
- <http://lm.web.tr/assets/77e668ae/jquery.min.js> (expiration not specified)
- <http://lm.web.tr/css/d-adm-krmz.1.png> (expiration not specified)
- <http://lm.web.tr/css/frontend.css> (expiration not specified)
- <http://lm.web.tr/images/bg.png> (expiration not specified)
- <http://lm.web.tr/js/ZeroClipboard.js> (expiration not specified)
- <http://lm.web.tr/js/cookieconsent.latest.min.js> (expiration not specified)
- <http://lm.web.tr/js/share42.js> (expiration not specified)
- [http://connect.facebook.net/en\\_US/all.js](http://connect.facebook.net/en_US/all.js) (20 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- [https://apis.google.com/js/rpc:shindig\\_random.js?onload=init](https://apis.google.com/js/rpc:shindig_random.js?onload=init) (30 minutes)
- <https://platform.twitter.com/widgets.js> (30 minutes)
- [http://pagead2.googlesyndication.com/pagead/show\\_ads.js](http://pagead2.googlesyndication.com/pagead/show_ads.js) (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (39% reduction).

- Minifying <http://lm.web.tr/js/ZeroClipboard.js> could save 1.2KiB (39% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

## Desktop

Your page has 4 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://lm.web.tr/assets/77e668ae/jquery.min.js>
- <http://lm.web.tr/js/frontend.js?v=0.1>
- <http://lm.web.tr/js/ZeroClipboard.js>
- <http://lm.web.tr/js/share42.js>

### [Optimize CSS Delivery](#) of the following:

- <http://lm.web.tr/css/frontend.css>



## 6 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

### Minify HTML

## Desktop

Your HTML is minified. Learn more about [minifying HTML](#).

### Optimize images

Your images are optimized. Learn more about [optimizing images](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).